



# Heyco® Barrier Terminal Blocks

## PA 80 Series

- Single pole barrier terminal block, whose inserts are ultrasonically welded into position.
- Each pole snap-fits into the next, enabling custom number of poles to suit your application.
- End plate PA 81 is required to effect an end barrier.
- .250" by .031" (6,4 by 0,8 mm) tabs and M4 Screws are manufactured in zinc plated/passivated steel.
- Suitable for chassis or 15 DIN 46277 rail mounting.
- All types are rated at 600 volts (380 volts in Europe).
- Molded of type 6 “Nylon”. Flammability classification 94V-2; temperature index 105°C.
- Recognized under the Component Program of Underwriters’ Laboratories File #E-76048.
- Certified by Canadian Standards Association File #LR-40455.
- Approved Report 8721-1440-1007.

WIRE AWG	SIZE MM²	AMPS		POLES*	PART NO.	DESCRIPTION	TERMINAL TAB CONFIGURATION	PART DIMENSIONS					
		North America	Europe					A		B		C	
								in.	mm.	in.	mm.	in.	mm.
12-22	4-1	20	16	1-100*	1757	PA 80 F/F	3 tabs to 3 tabs	1.142	29,0	1.496	38,0	.433	11,0
12-22	4-1	20	16	1-100*	1758	PA 81	end plate	1.142	29,0	1.496	38,0	.433	11,0

Standard Color: Natural.

\*Poles may be ganged as required, 1 each P/N 1757 for each pole connected.

